



- Main
- Observations
- Requests
- Deliveries
- Transfer
- Help
- Logout

View Library

- Display**
- Relationships
- [Deliveries](#)
- [Prime/Rider](#)
- Export
- [XML](#)
- [Summary-](#)
- [Text](#)
- [APF](#)
- Comments
- [View](#)
- [Add](#)
- Page
- [Legend](#)
- [Help](#)

This request revision is contained in a delivery and is frozen. Changes must be saved as a new revision.

Request Header [Description](#) [Observations](#) [Files](#) [Steps](#)

ID:	RSS_202TI_KADOWN001_RSS		
Title:	GSE pass for Titan's gravity	Revision:	1
Rev Created:	17 Apr 2013, 17:01, by Anabtawi, Aseel	Priority:	2
Updated:	17 Apr 2013, 17:02, by Anabtawi, Aseel	Comments:	0
Start Time:	2014-064T04:27:00 GMT		
Pre Start	000T00:00:00		
Tolerance:			
Post Start	000T00:00:00		
Tolerance:			
Duration:	000T17:29:00		
End Time:	2014-064T21:56:00 GMT		
Change:	created from copy		
Change Justification:			
Visibility:	Public		
SPASS Type:	SPASS Rider (Collaborative: No)		
Group Filter:	TOST		
Contact Info:			
Description:	<p>Additional downlink pass at Ka-band for Titan's gravity science and for improving locally Cassini orbit.</p> <p>DSS-34 required for X- and K-band supports.</p> <p>No biases. If needed, try to place as early as possible.</p>		

Request Description [Header](#) [Observations](#) [Files](#) [Steps](#)

Pointing Information			
Pointing:	XBAND to Earth		
Agreement:			
Primary Pointing:	XBAND to Earth		
Secondary Pointing:	PIC		
Resources			
Sequence Type:	Background	SSR Data Class:	Normal
Op Mode:	RSSK	Telem Mode:	-
Power (watts):	38.7	Est CDS Words:	200
Rate Multiplier:		APGEN Rate:	0
Effective Rate:	0 bps	Data Volume:	0 x 10 ⁶ bits
Frames:		Bits Per Frame:	
Team Consumables:	Ka-TWTA and KEX on at start; off at end. KAT thermal cycles incurred=0.2500		
IEB Text:			
Apgen Fields			
Activity Type:	RSS Activity		
Attributes		Parameters	
Legend:	RSS	CDSWords:	200

Duration:	000T17:29:00	Power:	38.7
Color:	Hot Pink	SSRDataClass:	Normal
Pattern:	60 - Large Pinwheels		
Description:	see above		

Green items are request fields shown here for clarity

Support and Other Descriptive Information

Liens:
 Waivers:
 RTC:
 FSW Loads:
 ITL Request:
 Special DSN Requirements: DSS-34 are required to obtain X- and Ka-band downlink data.
 Special Requirements: This activity will need to start with the RSS PIM Warm-Up (RSSP_RWAF) Op Mode, and be followed 5 minutes later with the RSS Ka-frequency Op Mode (RSSK, SLOW an option). IO-RS Ops should be consulted, along with the integrated and approved activities TOL, before SASF generation. If Y-Biases are needed during this downlink, RSS prefers that they are placed as early as possible during the track.
 Support Imaging Required:
 Document References:
 As Flown:

SASF Fields

Processor:
 Key:
 Workgroup:
 Status:
 Upper Label:
 Lower Label:
 Edit Group:
 Request State:

Associated Observations [Header](#) [Description](#) [Files](#) [Steps](#)

Last Updated	Observation	Rev	Cmts

Associated External Files [Header](#) [Description](#) [Observations](#) [Steps](#)

File Name	Relative Path	Last Modified	File Size

Steps [Header](#) [Description](#) [Observations](#) [Files](#)

Type	Label	Name	Offset	Off-Type