




JPL




Cassini Bistatic Experiment 2014

DSS-43 and DSS-34

Rev5




Bistatic Experiment Overview



- To determine the surface dielectric constant ϵ (nature and composition)
- To determine surface roughness
- To characterize subsurface (volume) scattering processes, if measured




Bistatic Operational Overview



The DSN will be involved in the Cassini Radio Science bistatic experiment. DSN coverage for this experiment will include DSS-34 and DSS-43.


If possible, both polarizations at each frequency will be utilized during this experiment at each antenna. The Cassini spacecraft will be earth pointed at the start of the activity giving a baseline reference for signal levels. The Cassini spacecraft will then turn away from Earth and towards Titan. The RSR will attempt to detect the S-band, X-band and Ka-band echoes (both polarizations) reflected off of Saturn's largest moon Titan.



It is very important that during the estimate 2 to 3 hour set up that baseline reference measurements are made at the Radio Science open loop receiver for all three RF bands, both polarizations when possible. To do this, there will be a series of steps that will be called for by the Radio Science team. These steps will include:



Bistatic Operational Overview & Visual Displays




JPL

- DSS-43 X-band: Configure the RCP path on the O1 output and the LCP path on the O2 output on the UWV display.
- DSS-43 S-band: Extend the dichroic plate for this experiment. Configure SRCP low noise to the LNA2 to the O1 output and SLCP Diplex to the LNA1 to the O2 output.
- DSS-34 X-band: Configure the RCP path on the O1 output on the UWV display (DSS-34 XLCP is not available).
- DSS-34 Ka-band: Configure KRCP on the O1 output.



Bistatic Operational Overview & Visual Displays




JPL

Once the UWV switches are set, they do not need to change! It is very important that they do not change to avoid interface problems between the noise diodes. Any necessary switching throughout the operational steps will be done by selecting the appropriate I.F. selection on the DCC, not UWV switching.

It is very important that the DSN's configuration is correct and if it is noticed that the configuration is incorrect, the correction should not be made until the Radio Science team is advised. This is to allow the Radio Science team the knowledge of the incorrect configuration so when the correction is made they will understand the change that will be seen on the open loop RSR recording.

It will be very challenging for the Radio Science team to measure and record 3 different bands at both polarizations for all DSN antennas.



The starting configuration will be X-band out the horn or “Cold Sky” as it is commonly referred to with the diode off. The diode configuration will be the same on **all antennas and all bands**:

- 12.5 K diode selected
- SNT MFQ=ON (refer to figure 2)

See display on next page

Note: if change back to the nominal value is needed then:

- 1.SNT is disabled
- 2.Change MFQ=20 Hz
- 3.Change diode =.25 K



Configure the diode for 12.5 K and the MFQ=on.

When requested to enable the diode, simply enable SNT from either this display or the DTT performance display.

Note: if change back to the nominal value is needed then:

1. SNT is disabled
2. Change MFQ=20
3. Change diode =.25 K

5 DC08:CNFRPN CNF RRP NAR

Displays Help

Scn: 082 / 3065 ▼ DSS: 25 ▼ 058 02:38:48

NAR parameters

SNT mode ENABLED

Diode selected

Modulation frequency

Predicted system temp K

Desired accuracy dB

Diode settling time s

Power sample rate Hz

Integration period s

Diode sample rate Hz


Ambient load temp (for Cal) K

Diode Calibration Values

0.25	0.321000	K
0.5	0.630000	K
1	1.378000	K
2	2.949000	K
4	5.185000	K
8	9.480000	K
12.5	16.128000	K
50	51.016998	K

Directive Responses

```
058 02:38:32 n/a
058 02:38:32 Window Activated
```

When asked by the RS team what the ambient load temperature is, the DSN will use this display (PRFREA) and report the temperature as displayed.

5 DC08:PRFREA PRF REC Ambient Loads

Displays Help


Scn: 082 / 3065 ▼ DSS: 25 ▼ 058 03:40:20

NDC Ch	Probe Id	Temp (degC)	Status
1A	X1	22.62	OPERATIONAL
1B	NONE	-273.00	OUT_OF_SERVICE
2A	K1	26.19	OPERATIONAL
2B	NONE	-273.00	OUT_OF_SERVICE
3A	NONE	0.00	OUT_OF_SERVICE
3B	NONE	0.00	OUT_OF_SERVICE
4A	NONE	0.00	OUT_OF_SERVICE
4B	NONE	0.00	OUT_OF_SERVICE

Warnings written to About Dialog...



DSS-43 and DSS-34 Bistatic Operational Steps



JPL

It will be necessary to **focus the antenna at stow** for the most accurate bistatic measurements **during pre- and post-cal**. The following steps are necessary before the Radio Science team starts their recordings:

1. **AP AZEL aaa.aaa ee.eee** where aaa.aaa, ee.eee is as close to stow position as antenna operational limits will allow
 2. **AP MODE ENC** *****DSS-43 only*****
to use encoder (*aka* computer) mode, not autocollimator (*aka* precision mode)
 3. **AP TRK**
 4. When prompted, and safe to do so, enter:
AP RESM TRK
 5. **AP MOVE R Pn** *****DSS-43 only*****
where n is the cone position for the subreflector, if necessary
 6. Wait until antenna and subreflector errors are small (see TRK display)
 7. **AP SET EL** to set the elevation brakes and hold the stow position
 8. To track in azimuth only, enter
AP DCOS to select nominal predict mode
AP TRK AZ to begin to follow the spacecraft in azimuth only
 9. Advise the Cassini Radio Science team that you are ready to begin the bistatic calibrations
9. During pre-cal only: At the completion of the bistatic calibrations and when directed by the Radio Science team to go to point in both AZ and EL THEN enter
- a) **AP MODE AC** *****DSS-43 only*****
to select autocollimator pointing mode
 - b) **AP TRK**



5 DC08:CNF CNF Downlink Channel Configuration Overview

Displays Help

Scn: 082 / 3065 ▼ DSS: 25 ▼ 058 02:43:51

S/C ID INFO: cassini 082 File Browser

Downlink Channel Controls

SNT ACQ RNG

Front End

Spacecraft Number
Downlink DSS
Uplink Band
Downlink Band

Radiometric Predicts

Predict Mode

Signal Path

Source	HORN
Polarization	RCP
Path	LOW_NOISE
LNA	X1
UWV Port	X1
IF Switch	DSS25X01C2(IFS1J032)
	<input type="text" value="DSS25X01"/>

RRP Input

Assembly Overviews

Downlink

Receiver

Configuration Table
Predicts Set
Car Freq (Pred)
Subcar Freq (Pred)
Symbol Rate (Pred)
Doppler Data Output
Ranging Data Output

Telemetry

Predicts Set
FS Primary Frame Length
Symbol Decoder Type
Predicts Mode
Telemetry Data Output

Directive Responses


```
058 02:42:47 n/a
058 02:42:47 Window Activated
```

Number of predict modes: 10

For DSS-43 the second DTT will need to be configured to LCP after the connection is built. It is very important to disconnect one DTT from the I.F. port, once the disconnect is complete then connect the second DTT to the O2 port for LCP.



DSS-43 Bistatic Operational Steps



DSS-43 must have set-up activities completed prior to the bistatic calibrations. **While at stow**, two DTTs are required: One configured for XRCP and the second configured for XLCP (see previous page). Perform as directed by the Radio Science team (RS will record each step for 2 to 7 minutes if time allows):

- 1.XRCP/XLCP out the horn (cold sky) diode off.
- 2.XRCP/XLCP in the ambient load.
- 3.Provide verbal readouts of ambient loads temp X1, S1, S2 from PRFREA display (see page 9).
- 4.Provide weather info: Temperature, humidity, pressure, wind speed, sky condition.
- 5.XRCP diode on (12.5 K MFQ=on).
- 6.XLCP diode on (12.5 K MFQ=on).
- 7.XRCP/XLCP out the horn diode on.
- 8.XRCP out the horn diode off.
- 9.XLCP out the horn diode off. This completes the X-band calibrations.
- 10.Configure both DTT's for S-band. See next slide.



5 DC08:CNF CNF Downlink Channel Configuration Overview

Displays Help

Scn: 082 / 3065 ▾ DSS: 25 ▾ 058 02:43:51

S/C ID INFO: cassini 082 File Browser

Downlink Channel Controls

SNT ACQ RNG

Front End

Spacecraft Number
Downlink DSS
Uplink Band
Downlink Band

Radiometric Predicts

Predict Mode

Signal Path

Source HORN
Polarization RCP
Path LOW_NOISE
LNA X1
UWV Port X1
IF Switch DSS25X01C2(IFS1J032)

RRP Input IF1

Assembly Overviews

Downlink

Receiver

Configuration Table
Predicts Set
Car Freq (Pred)
Subcar Freq (Pred)
Symbol Rate (Pred)
Doppler Data Output
Ranging Data Output

Telemetry

Predicts Set
FS Primary Frame Length
Symbol Decoder Type
Predicts Mode
Telemetry Data Output

Directive Responses

```
058 02:42:47 n/a
058 02:42:47 Window Activated
```


Number of predict modes: 10

Step 10a.
Select S-band for the downlink Band. This action will automatically Load the proper S-band table From the SCAP.

Step 10b.
Choose a DCC and disconnect, Then select the LCP output. Now we have two DCC's one for SRCP and SLCP.
Upon the band change the diode may have defaulted to .25 and MFQ=20.
Set back to 12.5 K and MFQ=ON




DSS-43 Bistatic Operational Steps



11. SRCP out the horn diode off.
12. SRCP in the ambient load.
13. SRCP in the ambient load 12.5 K diode on.
14. SRCP out the horn 12.5 K diode on.
15. SRCP out the horn diode off. This completes SRCP.
16. SLCP out the horn diode off.
17. SLCP in the ambient load diode off.
18. SLCP in the ambient load 12.5 K diode on.
19. SLCP out the horn 12.5 K diode on.
20. SLCP out the horn diode off. This completes the S-band calibrations.



DSS-34 X & Ka Band Bistatic Operational Steps




JPL

DSS-34 must have the Monopulse cals and the set-up activities completed prior to the bistatic calibrations. **While at stow**, two DTTs are required: One DTT configured for XRCP and the second DTT configured for KRCP. Display PRFREA displays for both X and Ka-band. **Ka-band has one set of diodes that are visible on both RCP and LCP paths**, so there's no need to change one of the DTTs configuration to KLCP. Perform as directed by the Radio Science team (RS will record each step for 2 to 7 minutes if time allows):

- 1.XRCP/KRCP out the horn diode off.
- 2.Extend aperture load (S21 in the B position).
- 3.Provide verbal readouts of ambient loads temp X1 and K1 from PRFREA display (see page 9).
- 4.Provide weather info: Temperature, humidity, pressure, wind speed, sky condition.
- 5.XRCP aperture load extended 12.5 K diode on.
- 6.KRCP aperture load extended 12.5 K diode on.
- 7.Retract aperture load (S21 in the A position) 12.5 K diode on.
- 8.XRCP diode off.
- 9.KRCP diode off.



Mini Cal In-Track Activities




After the set-up activities are finished, **the Radio Science team will direct the stations to go to point.** When requested by the Radio Science team for a Mini Cal, please follow the steps on page 17 (DSS-43) or page 18 (DSS-34)

- **Stations are to go through the steps on their own.** There are only 6 to 8 minutes for the Mini Cal procedure to complete, so it is imperative that the stations (once given the start time) execute the Mini Cal entirely on their own and report accordingly. Do not wait on NOPE/NOA or Radio Science team direction
- Report completion of each step to the Radio Science team
- Ensure the noise diodes are off/disabled at the end of the Mini Cal
- Three Mini Cals will be conducted during the experiment



DSS-43 Mini Cal In-Track Steps




Stations are to go through the steps on their own. There are only 6 to 8 minutes for the Mini Cal procedure to complete, so it is imperative that the stations (once given the start time) execute the Mini Cal entirely on their own and report accordingly. Do not wait on NOPE/NOA or Radio Science team direction

1. Configure one DTT for XRCP and second DTT for SRCP
2. Enable XRCP and SRCP 12.5K noise diodes for two minutes to allow radio science team 2 minutes of recording. Station announces “DSS-43 RCP diodes on” to signify the start of the Mini Cal on time to the Radio Science team. Leave noise diodes on for 2 minutes
3. Disable XRCP and SRCP 12.5K noise diodes. Station announces “DSS-43 RCP diodes off.”
4. Re-configure DTTs for XLCP and SLCP. Station announces “Reconfiguring for XLCP and SLCP.”
5. Immediately after the reconfiguration to LCP (both DTT’s), enable the diodes for two minutes (do not wait on other stations). Station announces “DSS-43 LCP diodes on” to signify the start of the LCP Mini Cal to the Radio Science team. Leave noise diodes on for 2 minutes.
6. Disable XLCP and SLCP 12.5K noise diodes and announce “DSS-43 LCP diodes off.”
7. Re-configure DTTs for XRCP and SRCP. Station announces “Reconfiguring for XRCP and SRCP.”
8. Station announces “DSS-43 RCP reconfiguration complete and Mini Cal complete.”



DSS-34 Mini Cal In-Track Steps




Stations are to go through the steps on their own. There are only 6 to 8 minutes for the Mini Cal procedure to complete, so it is imperative that the stations (once given the start time) execute the Mini Cal entirely on their own and report accordingly. Do not wait on NOPE/NOA or Radio Science team direction

1. Configure one DTT for XRCP and second DTT for KRCP
2. Enable XRCP and KRCP 12.5K noise diodes for two minutes to allow radio science team 2 minutes of recording. Station announces “DSS-34 RCP diodes on” to signify the start of the Mini Cal on time to the radio science team. Leave noise diodes on for 2 minutes.
3. Disable XRCP and KRCP 12.5K noise diodes. Station announces “DSS-34 RCP diodes off and Mini Cal complete.”



JPL

Weather Information




The Radio Science team will prompt each complex at some point for weather information consisting of:

1. Current temperature
2. Humidity
3. Pressure
4. Wind speed
5. Sky conditions



JPL

Bistatic SNT Measuremnets



Before Mini Cal 1 and again before Mini Cal 3, the Radio Science team will request that an SNT measurement be made. When requested to obtain SNT measurements, please follow the steps outlined on the next slide.



Bistatic SNT Measurements

When directed by Radio Science team to perform bistatic SNT measurement, perform the following steps from the CNFRPN display:

1. Set the MFQ to 20 (was previously set to ON)
2. For **Ka-band** select the **.5 K diode** (was set to 12.5 K)
3. For **X-band** and **S-band** select the **.25 K diode**.
4. Enable SNT.
5. Allow SNT to run for a minimum of 1-minute
6. Provide measurement to Radio Science team.
7. After SNT measurement is complete and concurrence has been given by the Radio Science team, disable SNT and set the MFQ back to "On."
8. Reconfigure DSS-34 X-band and Ka-band diodes and DSS-43 X-band and S-band diodes to 12.5 K.

6 DC09:CNFRPN CNF RRP NAR

Displays Help

Scn: 090 / 9999 ▼ DSS: 26 ▼ 082 16:53:30

NAR parameters

SNT mode DISABLED ▾

Diode selected .25 ▾

Modulation frequency 20 ▾

Predicted system temp 26.600000 K

Desired accuracy 10.100000 dB

Diode settling time 10.004000 s

Power sample rate 11.000000 Hz

Integration period 130 s

Diode sample rate 11 Hz

Ambient load temp (for Cal) 1293.000000 K

Diode Calibration Values

0.25	0.125000	K
0.5	0.262000	K
1	0.553000	K
2	1.173000	K
4	2.544000	K
8	5.570000	K
12.5	9.347000	K
50	32.528000	K


Directive Responses

```
082 16:52:16 n/a
082 16:52:16 Window Activated
```

Apply Reset Close



Post Cal Bistatic Operational Steps



JPL

At the end of the experiment, **the Radio Science team will direct the stations to go to stow.** During the bistatic post cal activities, we will repeat the bistatic calibration procedures for each antenna type.

End of another successful experiment!

Thank you for your supports